

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L8	48	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) near6 (password or passkey or passcode) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near3 (user or client or consumer or customer or employee)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 09:14
L9	1	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) near6 (password or passkey or passcode) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near6 ((unauthorized or other) near3 (user or client or consumer or customer or employee))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 09:17
L10	1	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) near9 (password or passkey or passcode) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near8 ((unauthorized or other) near3 (user or client or consumer or customer or employee))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 09:15
L11	2	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) near9 (password or passkey or passcode) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near9 ((unauthorized or other) near9 (user or client or consumer or customer or employee))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 09:18
L12	2	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) same (password or passkey or passcode) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near9 ((unauthorized or other) near9 (user or client or consumer or customer or employee))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 09:19

L13	10	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) same (password or passkey or passcode) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near9 ((unauthorized or other) near9 (user or client or consumer or customer or employee or access))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 09:20
L14	125	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) near9 (password or passkey or passcode) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near9 ((user or client or consumer or customer or employee or access or log\$1on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 10:46
L15	5	(data adj2 protect\$3) same (deny\$4 or denied or restrict\$4 or prohibit\$4) same ((chang\$4 or updat\$4 or modify\$4) near8 (password or passcode or passphrase or PIN))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 09:53
L16	4	(disabl\$4 or deny\$4 or denied or restrict\$4 or prohibit\$4) near3 (client or computer or customer or user) same ((password or pin or log\$3on or log\$1in) near3 (stolen or compromiz\$3 or "illigaly accessed"))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 10:03
L17	2	"2000259569"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 10:03
L18	16	(updat\$4 or chang\$4 or re\$1new\$3 or modif\$5) near9 (PIN) near8 (restrict\$4 or deny\$4 or denied or terminat\$4 or blocking or prohibit\$4) near9 ((user or client or consumer or customer or employee or access or log\$1on))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 12:27
L19	216	updat\$4 same (restrict\$4 or deny\$4 or denied or disabl\$4) same (log\$1on or log\$1in)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 13:06

L20	378	updat\$4 near9 (password or PIN or ID or passphrase or passcode or passkey) same (restrict\$4 or deny\$4 or denied or disabl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 13:07
L21	86	updat\$4 near9 (password or PIN or ID or passphrase or passcode or passkey) near9 (restrict\$4 or deny\$4 or denied or disabl\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 13:34
L22	90	chang\$4 near9 (password) near9 (unauthorized) near4 (user or access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 14:45
L23	2	"09250340".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 14:45
L24	3	"09250340"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 14:51
L25	352	updat\$3 near4 password same time	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 14:51
L26	80	updat\$3 near4 password same time same security	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 14:52
L27	10	updat\$3 near4 password same time same security same (prevent\$4 or restrict\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 14:59
L28	178	chang\$3 near4 password same time same security same (prevent\$4 or restrict\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 16:01
L29	2	"5572652".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 15:59

L30	226	726/2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 16:02
L31	182	726/28.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 15:59
L32	1	28 and 30	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 16:01
L33	1	726/2.ccls. and chang\$3 near4 password same time same security same (prevent\$4 or restrict\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 16:02
S1	53	administrator same (steal\$3 or impersonat\$4 or theft) same (identity or password or "sensitive data" or data or information or credencial or identification) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:41
S2	0	(insid\$2 or ((inside or authorized) adj (user or client))) with ((steal\$3 or theft) near identity) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:38
S3	0	(insid\$2 or ((inside or authorized) adj (user or client))) with ((steal\$3 or theft) near3 identity) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:38
S4	0	(insid\$2 or ((inside or authorized) adj (user or client)) or adminstrator) with ((steal\$3 or theft) near3 identity) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:38
S5	2	(insid\$2 or ((inside or authorized) adj (user or client)) or adminstrator) same ((steal\$3 or theft) near3 identity) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:39
S6	25	((steal\$3 or theft) near3 identity) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/24 14:39

S7	33	("trusted third party" or "TTP" or "trusted party" or "TP" or administrator or ((authorized or certificate) adj (person or party or entity or agent or authority))) with impersonat\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 08:03
S8	14	("trusted third party" or "TTP" or "trusted party" or "TP" or administrator or ((authorized or certificate) adj (person or party or entity or agent or authority))) with impersonat\$5 and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 08:20
S9	36	impersonat\$4 same ("data base" or database or "DB" or file or table) same (confidential or credential or "sensitive data" or identification or ID or password or passcode or "personal data") and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:18
S10	2742	(alter\$3 or chang\$3) same (database or "data base" or DB or table) same (trigger\$3 or notify\$3) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:22
S11	2081	(alter\$3 or chang\$3) same (database or "data base" or DB or table) same (trigger\$3) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 11:22
S12	33	administrator\$3 same (alter\$3 or chang\$3) same (database or "data base" or DB or table) same (trigger\$3) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 12:32
S13	3	administrator\$3 same add\$3 with trigger with (modify\$3 or updat\$3 or chang\$3 or delet\$3) and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 13:14
S14	2	"6496937".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 13:16
S15	30	(compar\$3 or match\$3) with (hash near3 (password or passcode)) with stored	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 13:18

S16	12	(compar\$3 or match\$3) with (hash near3 (password or passcode)) with stored and @ad <= "20001129"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 13:18
S17	2	"5657473".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/25 15:13
S18	3	"903822".ap.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:48
S19	4	"60281908"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/28 14:48
S20	2	"4995081".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 08:21
S21	1	(re\$1new\$4 or chang\$4 or alter\$4 or modif\$6 or updat\$5) near6 (password or passcode or "PIN" or "personal identification number") near6 (disabl\$4 or un\$1abl\$4) near4 (log\$3on)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 09:03
S22	32	(re\$1new\$4 or chang\$4 or alter\$4 or modif\$6 or updat\$5) near6 (password or passcode or "PIN" or "personal identification number") near6 (block\$4 near2 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 09:40
S23	5	(re\$1new\$4 or chang\$4 or alter\$4 or modif\$6 or updat\$5) near6 (password or passcode or "PIN" or "personal identification number") near6 ((blocking or blocked or disabled or unabled) near2 user)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 09:47
S24	142	(re\$1new\$4 or chang\$4 or alter\$4 or modif\$6 or updat\$5) near6 (password or passcode or "PIN" or "personal identification number") near6 ((blocking or blocked or disabled or unabled))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 12:23

S25	2	"6496937".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 12:38
S26	2	"6636973".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 13:14
S27	2	"5452460".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 13:31
S28	624	(log\$1on or log\$3on or access\$4) near8 attempt near8 (deny\$3 or restrict\$4 or disabl\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 13:33
S29	2	(log\$1on or log\$3on) near8 attempt near8 (deny\$3 or restrict\$4 or disabl\$3) near2 access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 13:52
S30	3	"6910135".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 13:37
S31	0	((updat\$4 or chang\$4 or replac\$4) near5 (password or passcode)) and (log\$1on or log\$3on) near8 attempt near8 (deny\$3 or restrict\$4 or disabl\$3) near2 access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 13:53
S32	2	((updat\$4 or chang\$4 or replac\$4) near5 (password or passcode)) and (log\$1on or log\$3on) near8 attempt near8 (deny\$3 or restrict\$4 or disabl\$3) near6 access	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 13:54
S33	4	((updat\$4 or chang\$4 or replac\$4) near5 (password or passcode)) and ((log\$1on or log\$3on) near8 attempt same (deny\$3 or restrict\$4 or disabl\$3) near6 access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 14:02

S36	3753	(terminated or quite or layoff or discontinue or restricted or denied or blocked or prohibit\$4 or blocking ot terminating or quitting) same (user or employee) same (password or passcode)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/06 08:34
S37	187	(terminated or quite or layoff or discontinue or restricted or denied or blocked or prohibit\$4 or blocking ot terminating or quitting) near9 (user or employee) same ((password or passcode) near5 (chang\$4 or updat\$4 or encrypt\$4 or cipher\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 14:10
S38	111	(terminated or quite or layoff or discontinue or restricted or denied or blocked or prohibit\$4 or blocking ot terminating or quitting) near9 (user or employee) same ((password or passcode) near5 (chang\$4 or updat\$4 or encrypt\$4 or cipher\$4)) same (access)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 14:13
S39	48	(updat\$3 or chang\$4 or re\$1new\$3 or replac\$4) near9 (password) near9 (restrict\$4 near4 (access or log\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	ADJ	ON	2005/10/05 15:24